



# HYPERAUTOMATION IN ENERGY AND UTILITIES: FROM RPA TO FULLY AGENT-ORCHESTRATED NETWORK OPERATIONS

## Abstract

The rapid growth of distributed energy resources, transport electrification, renewable integration, and smart grid technologies is making utility operations far more complex, requiring real-time monitoring of millions of assets and faster, more precise responses to operational events. In this context, hyperautomation, which combines Robotic Process Automation (RPA), AI, process mining, advanced analytics, and orchestration platforms, is emerging as a critical framework for automating end-to-end workflows across grid monitoring, predictive maintenance, outage management, and compliance. This article examines how utilities are moving from early automation efforts to fully orchestrated digital operations and how hyperautomation will enable more resilient, adaptive, and intelligent energy networks.



Electric power systems are undergoing a fundamental structural shift as decentralised energy models reshape how electricity is generated, distributed, and consumed. Hyperautomation in energy and utilities is emerging as a critical enabler, supporting coordinated, data-driven operations across increasingly complex infrastructure.

Traditional centralised systems are evolving

into distributed ecosystems comprising renewable generation, Distributed Energy Resources (DERs), battery storage, electric vehicles, and active consumers. This shift is expanding the scale, variability, and interdependence of grid operations.

Utilities must now manage interconnected assets across transmission networks, distribution systems, smart meters, substations, and edge devices, each

generating continuous streams of operational data. Maintaining grid stability and efficiency requires processing and acting on this data in near real time.

While AI, advanced analytics, and automation are becoming central to operational decision-making, many utilities still operate with fragmented systems and manual processes that limit responsiveness to dynamic grid conditions.

## The first automation wave: RPA in utilities

The initial phase of automation in utilities focused on robotic process automation, enabling organisations to automate repetitive administrative tasks by mimicking human actions within enterprise systems.

RPA delivered efficiency gains across

processes such as billing, reporting, and service order management. However, its reliance on predefined rules and structured workflows limited its ability to handle dynamic grid conditions and unstructured data.

As operational complexity increased,

utilities required more adaptive, intelligence-driven automation models, leading to the emergence of hyperautomation. For utilities, this first wave of automation established the foundation for broader digital transformation initiatives.

## hyperautomation: orchestrating end-to-end utility operations

Hyperautomation technology represents the next stage of automation maturity, integrating AI, machine learning, process mining, and RPA to automate end-to-end operational processes across both enterprise IT and operational technology (OT) systems.

In energy and utilities environments, hyperautomation platforms combine:

- RPA for rule-based task automation
- AI and machine learning for predictive analytics
- Process mining to identify automation opportunities
- Workflow orchestration engines that coordinate multi-system processes

These platforms enable utilities to

automate complex workflows across systems such as supervisory control and data acquisition (SCADA), asset monitoring, and grid management. This reflects the convergence of engineering environments with AI-driven capabilities, where data and decision models are tightly integrated to support real-time, adaptive grid operations.

For example, a hyperautomated asset management workflow can detect abnormal transformer conditions through sensor data, assess failure risks using predictive models, generate maintenance work orders, and dispatch field service

teams with minimal manual intervention. Hyperautomation enables utilities to streamline operations, optimise resource utilisation, and support faster, data-driven decisions at scale. It also strengthens

execution consistency and improves coordination across functions, representing a fundamental redesign of how utilities operate, moving beyond task automation toward system-level intelligence.

## Hyperautomation use cases across the utility value chain

Hyperautomation technology is enabling utilities to automate complex operational workflows across grid operations, asset management, customer services, and regulatory reporting. These capabilities are improving reliability, efficiency, and operational responsiveness across several key domains:

### Predictive asset maintenance

Utilities rely on critical infrastructure such as transformers, substations, and turbines that require continuous monitoring to prevent failures. Hyperautomation platforms combine IoT sensor data with predictive analytics to identify early signs of equipment degradation and automatically trigger maintenance workflows.

Predictive maintenance can reduce equipment downtime by [up to 45 per cent](#) and extend asset life [by 20 to 30 per cent](#), delivering significant improvements in asset reliability and lifecycle performance.

### Autonomous outage detection and restoration

Automation platforms analyse real-time sensor data and smart meter telemetry to detect outages and identify fault locations. Orchestrated workflows can automatically dispatch field crews, notify customers, and support grid reconfiguration, enabling faster and more coordinated response. Advanced outage management systems can reduce restoration times by [30 to 50 per cent](#), significantly improving service reliability and reducing the operational impact of disruptions.

### Distributed energy resource orchestration

The rapid expansion of distributed energy resources such as rooftop solar, battery storage, and electric vehicles is increasing grid complexity. Hyperautomation platforms analyse generation and demand data in real time to optimise energy flows and maintain grid stability, enabling utilities to manage decentralised energy systems more effectively.

Renewable capacity growth requires utilities to manage decentralised

energy systems at scale, making real-time orchestration essential for reliable operations.

### Automated regulatory compliance

Utilities operate within strict regulatory frameworks requiring continuous monitoring and reporting of operational and environmental metrics. Hyperautomation platforms can automatically collect operational data, generate compliance reports, and maintain auditable records across regulatory workflows.

These capabilities improve reporting accuracy, reduce administrative workload, and enable utilities to respond more efficiently to evolving regulatory requirements.

While hyperautomation is already improving operational workflows, utilities are now extending these capabilities with simulation-driven technologies that enable predictive, scenario-based decision-making.



## Digital twins and simulation-driven automation for grid resilience

Digital twins are emerging as a critical capability for managing increasingly complex energy systems. A digital twin is a dynamic virtual model of physical infrastructure that integrates real-time operational data from sensors, grid monitoring systems, and asset platforms, enabling continuous system visibility and analysis.

When combined with AI and automation platforms, digital twins enable utilities to simulate operational scenarios, predict

system behaviour, and trigger automated responses before disruptions impact the grid. These capabilities allow utilities to move from reactive operations to predictive, scenario-driven decision-making.

**Utilities are applying digital twins to support:**

- **Grid stability simulations** to assess the impact of renewable variability and demand fluctuations
- **Predictive infrastructure planning** to

identify potential failure points across transmission and distribution networks

- **Automated contingency modelling** to prepare for extreme weather events and operational disruptions
- **Distributed energy resource coordination** to optimise energy flows across decentralised assets

By integrating simulation capabilities with hyperautomation platforms, digital twins are becoming foundational to resilient, data-driven energy network operations.

## The emergence of agent-orchestrated utility operations

While hyperautomation enables coordinated workflows, the next stage of automation evolution involves agent-orchestrated operational architectures. Agentic AI systems deploy specialised autonomous agents capable of analysing operational data, making decisions, and coordinating workflows across distributed infrastructure environments.

**In utility environments, these architectures may include:**

- Monitoring agents analysing grid telemetry

- Demand forecasting agents predicting energy consumption
- Asset management agents coordinating maintenance operations
- Response agents managing outage detection and restoration

These agents collaborate through orchestration platforms that coordinate decision flows across enterprise systems and operational technologies, reflecting a broader industry shift toward orchestrated energy operating models that manage increasingly decentralised and dynamic

energy systems.

Advances in agent-based AI frameworks demonstrate the ability to automate complex analytical workflows, generate insights from large-scale datasets, and support real-time operational decision-making with minimal human intervention.

With the evolution toward agent-orchestrated architectures, utilities will deploy distributed AI systems capable of continuously monitoring infrastructure, predicting disruptions, and coordinating operational responses autonomously.





## Governance and safety frameworks for automated grid operations

As utilities move toward agent-orchestrated network operations, governance and operational safety become critical considerations. Power systems operate as critical infrastructure, where automated decisions must comply with strict reliability standards, cybersecurity requirements, and regulatory frameworks. Effective hyperautomation strategies, therefore, require robust governance models that ensure automated systems operate within clearly defined operational boundaries, with clear accountability, auditability, and risk controls.

Automation platforms must incorporate

safeguards that balance operational autonomy with human oversight, enabling AI systems to respond rapidly to grid events while maintaining control over high-risk decisions.

### Utilities are establishing governance frameworks that include:

- Human-in-the-loop controls for critical operational decisions
- Automated policy enforcement aligned with regulatory and reliability standards
- Auditability and transparency mechanisms for automated decision-making
- Cybersecurity safeguards to protect

automated control systems from external threats

These capabilities are essential to ensure that AI-driven automation systems remain transparent, explainable, and aligned with regulatory expectations, particularly in safety-critical environments such as energy infrastructure.

Expanding AI adoption across energy systems is driving industry bodies to emphasise the importance of responsible AI governance frameworks that integrate risk management, compliance, and operational safety into automated decision-making processes.

## Architecting hyperautomated utility ecosystems

Realising the full potential of hyperautomation requires utilities to move beyond fragmented automation initiatives and architect integrated digital ecosystems that connect operational technologies,

enterprise systems, and data platforms. This approach enables end-to-end process coordination and more effective decision-making across complex infrastructure environments.

Platformisation supports this shift by standardising data, processes, and automation capabilities into scalable digital foundations. Key architectural components include:

### Unified data platforms

Integrate data from SCADA systems, IoT devices, smart meters, and enterprise applications to enable real-time data ingestion, contextualisation, and analytics. These platforms provide a consistent operational view across the grid and support AI-driven decision-making at scale.

### Process orchestration platforms

Act as the control layer, coordinating workflows across asset management systems, grid operations platforms, and field service tools. By integrating RPA, AI,

and process mining, utilities can move from siloed automation to synchronised, end-to-end operational processes.

### Distributed intelligence and advanced control systems

Enable real-time decision-making across decentralised infrastructure. Distributed analytics and control mechanisms help manage renewable variability, demand fluctuations, and network disruptions, improving grid resilience and responsiveness.

### Embedded governance and security frameworks

Ensure automation operates within regulatory, cybersecurity, and operational safety constraints. This includes policy enforcement, auditability, and system-wide monitoring to maintain transparency and compliance across automated operations. Utilities that fail to adopt platform-led automation architectures risk scaling complexity without achieving coordinated, system-wide intelligence.

## Strategic priorities for hyperautomation adoption

Utilities pursuing hyperautomation strategies should prioritise several capabilities:

- **Automate end-to-end operational processes:** Move beyond isolated automation initiatives toward integrated operational workflows.
- **Integrate IT and OT environments:** Connect enterprise automation platforms with operational technologies
- **Adopt agent-oriented automation architectures:** Enable distributed automation systems capable of coordinating decisions across infrastructure systems.
- **Invest in workforce transformation:** Develop digital capabilities among grid operators and engineering teams.
- **Establish governance frameworks**

across the grid.

**for autonomous operations:** Ensure automation systems operate safely within regulatory and operational boundaries.

- **Adopt managed operations models:** Leverage managed services to continuously monitor, optimise, and scale automation environments while ensuring performance, compliance, and resilience.

## Towards autonomous energy networks

Energy systems are evolving into decentralised, digital, and dynamic networks. The expansion of renewable generation and the proliferation of distributed energy resources will continue to increase operational complexity.

[Hyperautomation in energy and utilities](#) provides a pathway for utilities to

manage this complexity by transforming fragmented operational workflows into intelligent orchestration ecosystems. In the long term, these technologies will enable autonomous energy networks capable of continuously monitoring infrastructure, predicting disruptions, and coordinating operational responses without manual

intervention.

Utilities that move early on hyperautomation will redefine operational performance, building intelligent, self-optimising energy networks that can adapt to the demands of a rapidly evolving energy landscape.

For more information, contact [infosysbpm@infosys.com](mailto:infosysbpm@infosys.com)



© 2026 Infosys Limited, Bengaluru, India. All Rights Reserved. Infosys believes the information in this document is accurate as of its publication date; such information is subject to change without notice. Infosys acknowledges the proprietary rights of other companies to the trademarks, product names and such other intellectual property rights mentioned in this document. Except as expressly permitted, neither this documentation nor any part of it may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, printing, photocopying, recording or otherwise, without the prior permission of Infosys Limited and/ or any named intellectual property rights holders under this document.

